


# Product Reference Chart

Quadrant Engineering  
Plastic Products



# Advanced Engineering Plastics

Quadrant Brand	Colour	Chemical Acronym	Polymer Group
<b>Duratron®</b>			
Duratron® CU60 PBI	black	PBI	Polybenzimidazole
Duratron® U1000 PEI	amber translucent	PEI	Polyetherimide
Duratron® U2300 PEI	natural	PEI	Polyetherimide, 30% glass-reinforced
Duratron® LSG PEI	amber translucent	PEI LSG	Polyetherimide Life Science Grade
Duratron® D7000 PI	natural (chestnut)	PI	Polyimide
Duratron® D7015G PI	grey-black	PI	Polyimide + graphite
Duratron® T4203 PAI	yellow-ochre	PAI	Polyamide-imide
Duratron® T4301 PAI	black	PAI + graphite + PTFE	Polyamide-imide + graphite + Polytetrafluoroethylene
Duratron® T4501 PAI	black	PAI + graphite + PTFE	Polyamide-imide + graphite + Polytetrafluoroethylene
Duratron® T4503 PAI	yellow-ochre	PAI	Polyamide-imide
Duratron® T5530 PAI	black	PAI GF30	Polyamide-imide + 30% glass fibre
<b>Fluorosint®</b>			
Fluorosint® 135	black	PTFE + additives	Polytetrafluoroethylene + additives
Fluorosint® 207	white	PTFE + mica	Polytetrafluoroethylene + synthetic mica
Fluorosint® 500	ivory	PTFE + mica	Polytetrafluoroethylene + synthetic mica
Fluorosint® HPV	tan	PTFE + additives	Polytetrafluoroethylene + additives
Fluorosint® MT-01	dark grey	PTFE + additives	Polytetrafluoroethylene + additives
<b>Ketron®</b>			
Ketron® 1000 PEEK	natural (brownish-grey), black	PEEK	Polyetheretherketone
Ketron® CA30 PEEK	black	PEEK CA30	Polyetheretherketone + 30% carbon fibre
Ketron® MD PEEK	blue	PEEK MD	Polyetheretherketone + metal detectable additive
Ketron® TX PEEK	blue	PEEK TX	Polyetheretherketone + solid lubricant
Ketron® GF30 PEEK	natural (brownish-grey)	PEEK GF30	Polyetheretherketone + 30% glass fibre
Ketron® HPV PEEK	black	PEEK HPV + CF + PTFE + graphite	Polyetheretherketone + carbon fibre + Polytetrafluoroethylene + graphite
Ketron® CC PEEK	black	PEEK CC	Polyetheretherketone carbon fibre reinforced
Ketron® CLASSIX™ LSG PEEK	white	PEEK LSG	Polyetheretherketone Life Science Grade (Resin Invibio® PEEK-CLASSIX™ White)
Ketron® LSG PEEK	natural (brownish-grey), black, blue, red, green	PEEK LSG	Polyetheretherketone Life Science Grade
Ketron® LSG CA30 PEEK	black	PEEK CA30 LSG	Polyetheretherketone + 30% carbon fibre Life Science Grade
Ketron® LSG GF30 PEEK	blue	PEEK GF30 LSG	Polyetheretherketone + 30% glass fibre Life Science Grade
Ketron® LSG CC PEEK	black	PEEK CC LSG	Polyetheretherketone carbon fibre reinforced Life Science Grade
<b>Quadrant®</b>			
Quadrant® 1000 PSU	natural (yellow translucent)	PSU	Polysulfone
Quadrant® LSG PSU	natural (yellow translucent)	PSU LSG	Polysulfone Life Science Grade
Quadrant® LSG PPSU	natural, black, blue, green, grey, red, orange, yellow, brown	PPSU LSG	Polyphenylsulfone Life Science Grade
<b>Techtron®</b>			
Techtron® PPS	natural	PPS	Polyphenylene Sulfide
Techtron® HPV PPS	blue	PPS HPV	Polyphenylene Sulfide + solid lubricant
Techtron® GF40 PPS	black	PPS	Polyphenylene Sulfide + 40% glass fibre
<b>Semitron®</b>			
Semitron® ESd 225	tan	POM-H	static dissipative Polyoxymethylene
Semitron® ESd 410C	black	PEI	static dissipative Polyetherimide
Semitron® ESd 500HR	white	PTFE	static dissipative Polytetrafluoroethylene
Semitron® ESd 520HR	khaki grey	PAI	static dissipative Polyamide-imide
Semitron® 480	black	PEEK	static dissipative Polyetheretherketone
Semitron® 490HR	black	PEEK	static dissipative Polyetheretherketone
Semitron® MPR1000	natural (grey)	PAI	static dissipative Polyamide-imide + additives
Semitron® HPV	dark grey	PEEK	static dissipative Polyetheretherketone with improved surface resistivity



# General Engineering Plastics

Quadrant Brand	Colour	Chemical Acronym	Polymer Group
<b>Ertacetal® / Acetron®</b>			
Acetron® LSG POM-C	natural, black	POM-C LSG	Polyoxymethylene Copolymer Life Science Grade
Acetron® MD POM-C	blue	POM-C + MD	Polyoxymethylene Copolymer + metal detectable additive
Ertacetal® C POM-C	natural, black, blue, green, brown, grey, orange, red, yellow	POM-C	Polyoxymethylene Copolymer
Ertacetal® C ELS POM-C	black	POM-C ELS	Polyoxymethylene Copolymer electrical sensitive
Ertacetal® C LQ POM-C	natural	POM-C	Polyoxymethylene Copolymer + color additive
Ertacetal® H POM-H	natural, black	POM-H	Polyoxymethylene Homopolymer
Ertacetal® H-TF POM-H	deep brown	POM-H + PTFE	Polyoxymethylene Homopolymer + Polytetrafluoroethylene
<b>Ertalon® / Nylatron®</b>			
Ertalon® 4.6 PA4.6	reddish brown	PA 4.6	Polyamide 4.6
Ertalon® 6 PLA PA6	natural, black, blue	PA 6 PLA	Polyamide 6 cast
Ertalon® 6 SA PA6	natural, black	PA 6 SA	Polyamide 6
Ertalon® 6 XAU+ PA6	black	PA 6 XAU+	Polyamide 6 cast heat stabilized
Ertalon® 66 SA PA66	natural, black	PA 66 SA	Polyamide 66
Ertalon® 66-GF30 PA66	black	PA 66 GF 30	Polyamide 66 + 30% glass fiber reinforced and heat stabilized
Ertalon® LFX PA6	green, black	PA 6 LFX	Polyamide 6 + solid lubricant
Nylatron® 66 SA FR PA66	black	PA 66 SA FR	Polyamide 66 Flame retardant
Nylatron® FST PA66	natural	PA 66 FST	Polyamide 66 Flame, Smoke, Toxicity retardant
Nylatron® 703 XL PA6	purple	PA 6 703 XL	Polyamide 6 cast + internal lubricants
Nylatron® GS PA66	grey-black	PA 66 MoS <sub>2</sub>	Polyamide 66 + Molybdenum Disulfide
Nylatron® GSM PA6	grey-black	PA 6 MoS <sub>2</sub>	Polyamide 6 cast + Molybdenum Disulfide
Nylatron® SLG PA6	blue	PA 6 SLG	Polyamide 6 cast Self-lubricating Grade
Nylatron® MC 901 PA6	blue	PA 6 MC 901	Polyamide 6 cast modified
Nylatron® MD PA6	dark blue	PA 6 MD	Polyamide 6 + metal detectable additive
Nylatron® NSM PA6	grey	PA 6 NSM	Polyamide 6 cast + solid lubricant
Nylatron® RIM PA6	black	PA 6	Polyamide 6
<b>Ertalyte®</b>			
Ertalyte® PET-P	natural, black	PET-P	Polyethylene Terephthalate
Ertalyte® TX PET-P	pale-grey	PET-P TX	Polyethylene Terephthalate + solid lubricant
<b>Quadrant®</b>			
Quadrant® 1000 PC	natural (transparent)	PC	Polycarbonate non-UV-stabilized
Quadrant® LSG PC	natural (transparent)	PC LSG	Polycarbonate non-UV-stabilized Life Science Grade
Quadrant® 1055 TPE	natural	TPE	Thermoplastic Copolyester Polymer

Food			Aerospace	Medical	Oil & Gas	Railway
EU 10/2011	FDA	3-A-Dairy				
				●		
●	●	●				
●(1)	●(1)				●	●
●	●					
●(3)	●(3)					●
●(2)	●(2)					
						●
●(2)	●(2)		●			●
			●			●
						●
			●			●
						●
						●
						●
						●
					●	
●	●	●				
						●
						●
●	●				●	
	●					
	●			●		
	●					●

(1) = natural, blue, black; other colours FDA compliant only  
 (2) = natural  
 (3) = natural and blue

# Polyethylene / Polypropylene

Quadrant Brand	Colour	Chemical Acronym	Polymer Group
<b>Proteus®</b>			
Proteus® LSG H PP	natural	PP	Polypropylene
<b>TIVAR®</b>			
TIVAR® 1000 UHMW-PE	natural, black, green, red, yellow, blue	UHMW-PE	Ultra High Molecular Weight Polyethelene
TIVAR® 1000 antistatic UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® 1000 ASTL UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® 1000 EC UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives (Electrical Conductivity)
TIVAR® 88 UHMW-PE	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® 88-2	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® BlueLine	light blue	UHMW-PE	Ultra High Molecular Weight Polyethelene
TIVAR® Burnguard UHMW-PE	black with silver spots	UHMW-PE	Ultra High Molecular Weight Polyethelene + flame retardant + additives
TIVAR® Ceram P UHMW-PE	yellow-green	UHMW-PE	Ultra High Molecular Weight Polyethelene + micro glass beads
TIVAR® CleanStat UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® CleanStat White UHMW-PE	white	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® DrySlide UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene + solid lubricant
TIVAR® Cestidur UHMW-PE	grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® DS UHMW-PE	yellow	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
TIVAR® ECO black antistatic UHMW-PE	black	UHMW-PE	Ultra High Molecular Weight Polyethelene, reprocessed
TIVAR® ECO green UHMW-PE	green	UHMW-PE	Ultra High Molecular Weight Polyethelene, reprocessed
TIVAR® H.O.T. UHMW-PE	white	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives (Higher Operating Temperature)
TIVAR® HPV UHMW-PE	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + solid lubricant
TIVAR® MD UHMW-PE	blue	UHMW-PE	Ultra High Molecular Weight Polyethelene + metal detectable additive
TIVAR® OilFilled UHMW-PE	grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + solid lubricant
TIVAR® SuperPlus UHMW-PE	grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives, partially cross-linked
TIVAR® TECH UHMW-PE	grey-black	UHMW-PE + MoS <sub>2</sub>	Ultra High Molecular Weight Polyethelene + Molybdenum Disulfide
TIVAR® Cestigreen UHMW-PE	green	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
<b>QuickSilver®</b>			
QuickSilver®	silver-grey	UHMW-PE	Ultra High Molecular Weight Polyethelene + additives
<b>Chirulen®</b>			
Chirulen® 1020	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
Chirulen® 1050	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
<b>Extrulen™</b>			
Extrulen™ 1020	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
Extrulen™ 1050	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene (medical grade)
<b>PE 500</b>			
PE 500	natural, black, green, red, yellow, blue	HMW-PE	High Molecular Weight Polyethelene
<b>Borotron®</b>			
Borotron® HM015 HMW-PE	natural	HMW-PE	High Molecular Weight Polyethelene + 1,5% Boric Oxide
Borotron® HM030 HMW-PE	natural	HMW-PE	High Molecular Weight Polyethelene + 3% Boric Oxide
Borotron® HM050 HMW-PE	natural	HMW-PE	High Molecular Weight Polyethelene + 5% Boric Oxide
Borotron® UH015 UHMW-PE	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene + 1,5% Boric Oxide
Borotron® UH030 UHMW-PE	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene + 3% Boric Oxide
Borotron® UH050 UHMW-PE	natural	UHMW-PE	Ultra High Molecular Weight Polyethelene + 5% Boric Oxide

Food			Aerospace	Medical	Linings	Oil & Gas	Railway
EU 10/2011	FDA	3-A-Dairy					
	●	●					
●(1)	●(1)	●(3)				●	●
●							
●	●						
●					●		
					●		
					●		
					●(4)		●(4)
●	●	●(2)					●
	●						
●	●				●		●
●	●						
●	●	●(2)			●	●	
●	●					●	
	●						●
					●		
				●			
				●			
				●			
				●			
●(1)	●(1)						

(1) = colour black is not compliant      (3) = colour natural  
 (2) = on demand                                (4) = UL94 V-0 compliant

Distributed by:



Call: 1 (866) 437-7427  
Email: [info@polymershapes.com](mailto:info@polymershapes.com)  
[www.polymershapes.com](http://www.polymershapes.com)

## Quadrant Engineering Plastic Products Worldwide

Belgium | Brazil | China | France | Germany | Hong Kong | Hungary | India | Italy | Japan | Korea | Mexico | Poland | South Africa  
Switzerland | The Netherlands | United Kingdom | United States of America



Q U A D R A N T

This brochure and any data and specifications presented here or on our website shall provide promotional and general information about the Engineering Plastic Products [the „Products“] manufactured and offered by Quadrant Engineering Plastic Products [„Quadrant“] and shall serve as a preliminary guide. All data and descriptions relating to the Products are of a general informational nature only. Neither this brochure nor any data and specifications presented on our website shall create or be implied to create any legal or contractual obligation. This brochure and any data or specifications herein do not create expressly or by implication any legal, contractual or warranty obligation whatsoever. No warranty of any kind, either express or implied, is made as to the information contained in these pages, including, but not limited to, all warranties provided for by Louisiana law, any implied warranty of merchantability, of fitness for a particular purpose, and any warranty against hidden defects or redhibitory defects or vices. No information in this brochure creates any express or implied warranty that the goods described herein shall conform to any description herein. Quadrant sells the products described herein solely to sophisticated users and not to consumers, and Quadrant assumes no responsibility that any goods described herein will be fit for any particular purpose for which a Quadrant customer may determine to purchase such goods, except and to the sole extent otherwise provided in a separate written contract.

Any illustration of the possible fields of application of the Products shall merely demonstrate the potential of these Products, but any such description does not constitute any kind of covenant or warranty whatsoever. Irrespective of any tests that Quadrant may have carried out with respect to any Product, Quadrant does not possess expertise in evaluating the suitability of its materials or Products for use in specific applications or products manufactured or offered by the customer respectively. It thus remains the customer's sole responsibility to test and assess the suitability and compatibility of Quadrant's Products for its intended applications, processes and uses, and to choose those Products that according to its assessment meet the requirements applicable to the specific use of the finished product. The customer undertakes all liability in respect of the application, processing or use of the aforementioned information or product, or any consequence thereof, and shall verify its quality and other properties. Quadrant's Products should not be used for applications involving medical devices that are intended to remain implanted in the human body continuously for a period exceeding 24 hours [30 days\*], or are intended to remain in contact with internal human tissue or bodily fluids for more than 24 hours (30 days\*), or as critical components of medical devices that are essential to the continuation of human life.

\*: „30 days“ applies to Ketron® CLASSIX™ LSG PEEK white only.

Quadrant is not a medical device manufacturer and the information herein does not constitute any express or implied warranties or representations whatsoever, including, but not limited to, all warranties provided for by Louisiana law, any implied warranty of merchantability, of fitness for a particular purpose, any warranty against hidden defects or redhibitory defects or vices, or that Quadrant's materials are manufactured in accordance with the quality standards appropriate and necessary for materials intended for use in implantable medical device applications and in applications that are essential to the restoration of or continuation of a bodily function important to the continuation of human life.

Acetron®, Chirulen®, Duratron®, Ertacetal®, Ertalon®, Ertalyte®, Extrulen™, Fluorosint®, Ketron®, Nylatron®, Proteus®, Quadrant®, QuickSilver®, Semitron®, Techtron® and TIVAR® are registered trademarks of the Quadrant Group.  
PEEK-CLASSIX™ is a registered trademark of Invibio Inc.