


## NEW FORMABLE HARD-COATED LEXAN™ MARGARD™ FHC10 SHEET

# FOR GLAZING APPLICATIONS TO COMPLY WITH UPDATED ECE R43 SAFETY REGULATION

LEXAN™ MARGARD™ sheet offers optical clarity in combination with a unique abrasion and UV resistance, which can make it an excellent candidate for safety and security glazing to suit a wide range of applications. It can be used for both flat and curved glazing. Unique coatings offer high abrasion resistance, anti-fog behavior and increased resistance to UV weathering.



#### NOW AVAILABLE WITH UNIQUE FORMABLE HARD COATING

LEXAN $^{\text{m}}$  MARGARD $^{\text{m}}$  FHC10 sheet is a formable silicone hard coat using dual cure (thermal/thermal) technology. The coating is pre-cured sufficiently so that it can be handled and machined as any regular polycarbonate sheet, but maintains enough flexibility to be formable within the specified limits.

Primary applications are moderately shaped glazing components for lower-production vehicles where injection molding is less cost-effective. Additionally, LEXAN MARGARD FHC10 sheet is a highly versatile product that can be used for non-automotive glazing, such as machine guards, cabin glazing for heavy equipment and many other typically formed and post-coated applications today.




#### **BENEFITS**

- Virtually unbreakable 40 times stronger than acrylic, minimizing replacement costs
- Offers superior mechanical properties
- Outstanding impact strength
- High optical quality
- Crystal-clear transparency with low ripple and distortion
- Extremely low number of optical defects
- Resistant to common chemicals, weathering and ultraviolet (UV) light.

#### EXTREMELY HIGH IMPACT RESISTANCE

Like all LEXAN™ sheet products, LEXAN MARGARD sheet may offer extremely high impact resistance, minimizing the risk of breakage — even when subjected to violent blows by heavy objects. This impact resistance does not vary significantly over a wide temperature range (–40 °C to +120 °C) or after prolonged outdoor exposure.



Falling dart impact test 5 pounds (2.3 kg.) steel dart 1" (25.4 mm) diameter dip

### Distributed by



Call: 1 (866) 437-7427 Email: info@polymershapes.com www.polymershapes.com

THE MATERIALS, PRODUCTS AND SERVICES OF SABIC INNOVATIVE PLASTICS HOLDING BV, ITS SUBSIDIARIES AND AFFILIATES ("SELLER"), ARE SOLD SUBJECT TO SELLER'S STANDARD CONDITIONS OF SALE, WHICH CAN BE FOUND AT http://www.sabic.com AND ARE AVAILABLE UPON REQUEST. ALTHOUGH ANY INFORMATION OR RECOMMENDATION CONTAINED HEREIN IS GIVEN IN GOOD FAITH, SELLER MAKES NO WARRANTY OR GUARANTEE, EXPRESS OR IMPLIED, (i) THAT THE RESULTS DESCRIBED HEREIN WILL BE OBTAINED UNDER END-USE CONDITIONS, OR (ii) AS TO THE EFFECTIVENESS OR SAFETY OF ANY DESIGN INCORPORATING SELLER'S PRODUCTS, SERVICES OR RECOMMENDATIONS. EXCEPT AS PROVIDED IN SELLER'S STANDARD CONDITIONS OF SALE, SELLER SHALL NOT BE RESPONSIBLE FOR ANY LOSS RESULTING FROM ANY USE OF ITS PRODUCTS OR SERVICES DESCRIBED HEREIN. Each user is responsible for making its own determination as to the suitability of Seller's products, services or recommendations for the user's particular use through appropriate end-use testing and analysis. Nothing in any document or oral statement shall be deemed to alter or waive any provision of Seller's Standard Conditions of Sale or this Disclaimer, unless it is specifically agreed to in a writing signed by Seller. No statement by Seller concerning a possible use of any product, service or design is intended, or should be construed, to grant any license under any patent or other intellectual property right of Seller or as a recommendation for the use of such product, service or design in a manner that infringes any patent or other intellectual property right.

SABIC and brands marked with  $^{\mbox{\scriptsize TM}}$  are trademarks of SABIC or affiliates.

